

Technical Data Sheet

KRASOL® LBH P 3000

Hydroxyl Terminated Polybutadiene

DESCRIPTION

Krasol® LBH P 3000 is a linear, low molecular weight, polybutadiene polymer. The polymer is terminated with primary hydroxyl groups with a hydroxyl functionality of 1.95. The resin is liquid at room temperature and is miscible in non-polar organic liquids, oils, and bitumens.

PRODUCT HIGHLIGHTS / PERFORMANCE PROPERTIES

Good electrical insulative properties Good low temperature flexibility Narrow molecular weight distribution Hydrolytically stable Forms stable prepolymers

SUGGESTED APPLICATIONS

Prepolymers Thermoplastic elastomers Adhesives and sealants Coatings Electrical potting and encapsulation Polymer modification Polyurethanes

TYPICAL PHYSICAL AND CHEMICAL PROPERTIES

Property	Test Method	Value	Unit
Molecular Weight (Mn)	GPC	3,000	g/mol
1,2 Vinyl	Proton NMR	65	wt.%
Viscosity @ 25°C	Brookfield	20,000	cps
Tg	DSC	-35	°C
Specific Gravity @ 25°C	ASTM D891	0.89	-
-OH (Groups/Chain)	FT-NIR	1.9	-

Regulatory Notice: This product is controlled under Export Control Classification Number 1C111. The product may not be exported from the European Union without a license from the relevant authority(ies). A license is required from the U.S. Department of Commerce in order to export, or re-export, this product from the United States. Diversion contrary to law is prohibited.



'CRAY VALLEY' is a brand name only. The Business Unit name 'CRAY VALLEY' or the brand name 'CRAY VALLEY' may be used for promotion and/or sale of CRAY VALLEY products by TotalEnergies Petrochemicals & Refining USA Inc. ("TEPRI") or by Cray Valley SA, Cray Valley HSC Asia Limited, Cray Valley (Guangzhou) Chemical Co., Itd and Cray Valley Czech S.r.o. ("Cray Valley Legal Entities"). TEPRI and each of the Cray Valley Legal Entities are independent entities (each are individually referred to as "SELLER"). The information contained in this document is believed to be true and accurate on the date issued. Seller reserves the right to make any changes to the product according to technological progress or further developments. FINAL DETERMINATION OF SUITABILITY AND USE OF ANY PRODUCT FOR PROCESSING, USE SALE, MARRETING, OR OTHER APPLICATION(S) IS THE SOLE RESPONSIBILITY OF THE BUYER/USER. IN NO EVENT WILL ANY SELLER ASSUME ANY HORDUCT FOR PROCESSING, USE SALE, MARRETING, OR OTHER APPLICATION(S) IS THE SOLE RESPONSIBILITY OF THE BUYER/USER. IN NO EVENT WILL ANY SELLER ASSUME ANY HORDUCT (SPECIEVER) FOR THE ACCURACY OR COMPLETENESS OF THE INFORMATION CONTAINED HEREIN OR RELINACE THERETO. SELLER ASSUME ANY HORDUCT (SPECIEVE FOR THE ACCURACY OR COMPLETENESS OF THE INFORMATION CONTAINED HEREIN OR RELINACE THERETO. SELLER ASSUME ANY HORDUCT (SPECIEVE FOR THE ACCURACY OR COMPLETENESS OF THE INFORMATION CONTAINED HEREIN OR RELINACE THERETO. WARRANTIES OF ANY PARTICULAR PURPOSE, EVEN IF THAT PURPOSE IS NOWN TO SELLER. SELLER MAKES NO REPRESENTATIONS OR IMPLIED, CONCERNING THE SUITABILITY OF THE PRODUCT(S) FOR PROCESSING OR FOR BUYER'S USED WINT TO SELLER. SELLER MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLED, CONCERNING THE SUITABILITY OF THE PRODUCT(S) FOR PROCESSING OR FOR BUYER'S USTRIBUTEDED USE, PROCESSING, APPLICATION, SALE, OR MARRANTIES, EXPRESS OR IMPLED, CONCERNING THE SUITABILITY OF THE PRODUCT(S) FOR PROCESSING OR FOR BUYER'S USTRIBUTEDED USE, PROCESSING, APPLICATION, SALE, OR MARRETING, SELLER MAKES NO RE